

**NeverStrip**  
FLOOR COATINGS

**NeverStrip  
Color  
Deep Tint Base  
Parts A-B**



**SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

GENERAL USE: Polymeric resin

PRODUCT DESCRIPTION: Aqueous blend of polyol resins and additives

MANUFACTURER  
NeverStrip Corporation, Inc.

DATE PREPARED: May 9, 2011  
SUPERSEDES: Original

ADDRESS  
111 S. Grant Street  
Hinsdale, IL 60521

TELEPHONE NUMBER FOR INFORMATION  
(630)-330-1010

EMERGENCY TELEPHONE NUMBER  
(630)-330-1010

**SECTION 2 – HAZARDS IDENTIFICATION**

Emergency Overview: Mild liquid, contact with eyes may cause irritation, prolonged contact with skin may cause irritation. Ingestion may cause gastric distress.

Potential Health Effects

EYE: Contact may cause slight temporary irritation. Corneal injury is unlikely.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate irritation.

INGESTION: Small amounts ingested are not likely to cause injury. Ingestion of large amounts may cause headache, dizziness, diarrhea and general weakness.

INHALATION: Exposure to vapors not likely. High concentrations may be irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise.

Chronic Effects / Carcinogenicity

NTP Listed: No

IARC Group 1 or 2A: No

OSHA Regulated: No

**SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Hazardous Ingredients</u>	<u>CAS Registry No.</u>	<u>Percentage (wt/wt)</u>
Proprietary polyol resin	Not specified	15 – 40

OSHA Regulatory Status: While this material is NOT considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

**SECTION 4 – FIRST AID MEASURES**

EYE: Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

INGESTION: DO NOT induce vomiting unless directed to do so by medical personnel; never give anything by mouth to an unconscious person; seek medical attention.

INHALATION: Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

**SECTION 5 – FIRE FIGHTING MEASURES**

Product is not considered flammable or combustible.

EXTINGUISHING MEDIA: Carbon dioxide, water fog, dry chemical, chemical foam

# NeverStrip Color Deep Tint Base Part A Safety Data Sheet

MEDIA NOT TO BE USED: None known

FIRE & EXPLOSION HAZARDS: None

FIRE FIGHTING INSTRUCTIONS: Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

HAZARDOUS DECOMPOSITION PRODUCTS: Smoke, fumes, oxides of carbon

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water. Do not discharge into lakes, ponds, streams or public waters.

## SECTION 7 – HANDLING AND STORAGE

HANDLING: Keep away from food and drink. Wash hands before eating.

STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: The use of local exhaust ventilation is recommended. No other special controls are indicated.

RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, or CSA Z94.4-93.

SKIN PROTECTION: Neoprene or rubber gloves with cuffs.

EYE PROTECTION: Goggles with side shields; safety eyebath nearby. Refer to 29 CFR 1910.133, or CSA Z94.3-M1982.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact.

EXPOSURE GUIDELINES	OSHA PEL		ACGIH TWA	ACGIH STEL
	ppm	mg/m <sup>3</sup>	ppm	ppm
None	Not applicable	Not applicable	Not applicable	Not applicable

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White liquid

ODOR: Characteristic odor

BOILING POINT: 212 °F (100° C)

FREEZING POINT: 32 °F (0° C)

VAPOR PRESSURE: 17 mm Hg @ 20 ° C

SOLUBILITY IN WATER: Emulsifies

SPECIFIC GRAVITY: 1.127

pH: Not determined

VOLATILE ORGANIC COMPOUNDS: 18 g/l

VISCOSITY: Not determined

FLASH POINT [METHOD]	Does not flash		
FLAMMABLE LIMITS	LEL: Not applicable	UEL: Not applicable	

**SECTION 10 – STABILITY AND REACTIVITY**

STABILITY	Stable
MATERIALS TO AVOID	Strong oxidizers, strong acids
CONDITIONS TO AVOID	Extreme temperatures
HAZARDOUS DECOMPOSITION PRODUCTS	Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.
HAZARDOUS POLYMERIZATION	Will not occur.

**SECTION 11 – TOXICOLOGICAL INFORMATION**

<u>Component</u>	<u>LD50 Oral (rat)</u>	<u>LD50 Dermal (rabbit)</u>	<u>LC50 Inhalation (rat)</u>
Proprietary Polyol resin	> 2000 mg / kg	Not available	Not available

**SECTION 12 – EXOLOGICAL INFORMATION**

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

Dispose of in accordance with Local, State, and Federal Regulations; this product is toxic to fish, do not discharge into lakes, ponds, streams or public waters. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Consult your local, state, Provincial or Federal Environmental Protection Agency before disposing of any chemicals.

**SECTION 14 – TRANSPORT INFORMATION**

US DOT	Not regulated
Proper Shipping Name:	
UN Number:	
Packing Group:	
Special Instructions:	
IATA	Not regulated
Proper Shipping Name:	
UN Number:	
Packing Group:	
Special Instructions:	
IMDG	Not regulated
Proper Shipping Name:	
UN Number:	

# NeverStrip Color Deep Tint Base Part A Safety Data Sheet

Packing Group:

Special Instructions:

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

## SECTION 15 – REGULATORY INFORMATION

**TSCA (Toxic substance Control Act)**

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

**SARA TITLE III (Superfund Amendments and Reauthorization Act)**

311/312 Hazard Categories

None

**313 Reportable Ingredients:**

None

**CERCLA (Comprehensive Response Compensation and Liability Act)**

None

**California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

**CANADA**

**CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled

**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)**

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

## SECTION 16 – OTHER INFORMATION

HMIS HAZARD RATINGS	
Health	1
Flammability	0
Physical hazard	0
Personal Protection	B

**HMIS SYSTEM**

0 = Insignificant hazard      3 = High  
 1 = Slight                        4 = Extreme  
 2 = Moderate                    \* = Chronic health hazard  
 B=Safety Glasses, Gloves

**PREPARATION INFORMATION:**

Effective date: May 9, 2011

Replaces: Original

MSDS Changes: Not applicable

For information about this MSDS, contact Regulatory Affairs: (903) 454-8981

To the best of our knowledge, the information contained herein is accurate. However, NeverStrip Corporation, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

## SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

GENERAL USE: Aliphatic polyisocyanate curing agent; Part B of a two-part floor coating system

PRODUCT DESCRIPTION: Yellow liquid, practically odorless

MANUFACTURER

NeverStrip Corporation, Inc.

DATE PREPARED: May 9, 2011

SUPERSEDES: Original

ADDRESS

111 S. Grant Street

Hinsdale, IL 60521

TELEPHONE NUMBER FOR INFORMATION

(630)-330-1010

EMERGENCY TELEPHONE NUMBER

(630)-330-1010

## SECTION 2 – HAZARDS IDENTIFICATION

Emergency Overview: Yellow liquid, nearly odorless. May cause eye and skin and respiratory tract irritation. May cause allergic respiratory reaction. Harmful if inhaled or swallowed. May cause lung damage. Individuals who have developed skin sensitization can develop symptoms as a result of contact with very small amounts of liquid material or as a result of exposure to vapor. Toxic gases are emitted during burning or thermal decomposition.

### Potential Health Effects

- EYE:** Contact causes severe irritation and pain associated with redness and swelling of the conjunctiva.
- SKIN:** Brief contact may cause slight irritation; prolonged contact may cause moderate reddening. Swelling and possible necrosis. Chronic exposure may result in skin sensitization, which can cause symptoms as a result of contact with very small amounts of liquid material or as result of exposure to vapor. Cured material is hard to remove.
- INGESTION:** Moderately toxic; may cause headache, dizziness, diarrhea and general weakness; large doses may result in red blood cell hemolysis.
- INHALATION:** High concentrations are irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise. Chronic overexposures, or a single large dose, may cause isocyanate sensitization and subsequent reaction to a later exposure to isocyanate at levels well below the TLV

### Chronic Effects / Carcinogenicity

NTP Listed: No

IARC Group 1 or 2A: No

OSHA Regulated: No

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS Registry No.</u>	<u>Percentage (wt/wt)</u>
Homopolymer of hexamethylene diisocyanate	28182-81-2	100
Hexamethylene diisocyanate (monomer)	822-06-0	< 0.2

OSHA Regulatory Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

(a) Monomer content is less than 0.2% based on resin solids at the time of manufacture.

## SECTION 4 – FIRST AID MEASURES

- EYE:** Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.
- SKIN:** Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.
- INGESTION:** DO NOT induce vomiting; if vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs; seek immediate medical attention. Vomiting may be induced only under the supervision of a physician.
- INHALATION:** Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

### SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	Carbon dioxide, water fog, dry chemical, chemical foam
MEDIA NOT TO BE USED:	None known
FIRE & EXPLOSION HAZARDS:	Closed containers can explode due to buildup of pressure when exposed to extreme heat. Do not use direct stream of water on pool fires as product may reignite on water surface. Caution - Material will support combustion!
FIRE FIGHTING INSTRUCTIONS:	Firefighters must wear full facepiece self - contained breathing apparatus in positive pressure mode. Do not use solid stream of water since stream will scatter and spread fire. Fine water spray can be used to keep fire - exposed containers cool.
HAZARDOUS DECOMPOSITION PRODUCTS:	Smoke, fumes, oxides of carbon

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CAUTION - WILL SUPPORT COMBUSTION. Do not wash to sanitary sewer. All spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. Flush area with water, recover flush for proper disposal.

### SECTION 7 – HANDLING AND STORAGE

HANDLING	Keep away from food and drink. Wash hands before eating.
STORAGE	Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures or open flames. Keep this and other chemicals out of reach of children. CAUTION – WILL SUPPORT COMBUSTION.

### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS	The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment. See below for component exposure guidelines.
RESPIRATORY PROTECTION	None required while threshold limits are kept below maximum allowable concentrations. Use NIOSH approved respirator for use in isocyanate-containing environments, if TWA exceeds limits. Refer to 29 CFR 1910.134, or CSA Z94.4-93.
SKIN PROTECTION	Protective gloves of neoprene, rubber with cuffs.
EYE PROTECTION	Goggles with side shields. Refer to 29 CFR 1910.133, or CSA Z94.3-M1982.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	Safety eyebath nearby. Coveralls, apron, or other equipment should be worn to minimize skin contact.

EXPOSURE GUIDELINES	OSHA PEL		ACGIH TWA	ACGIH STEL
	ppm	mg/m <sup>3</sup>	ppm	ppm
Homopolymer of hexamethylene diisocyanate*	-	-	-	-
Hexamethylene diisocyanate (monomer)	0.005	-	0.005	-

\* A TLV or PEL have not been established for this component. The manufacturer has established 0.5 mg/m<sup>3</sup> as a guideline.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Yellow liquid,
ODOR	Practically odorless

BOILING POINT	Not measured
FREEZING POINT	Not determined
VAPOR PRESSURE	< 0.01 mm Hg @ 20 ° C
SOLUBILITY IN WATER	Insoluble
SPECIFIC GRAVITY	1.160
PH	Not applicable
VOLATILE ORGANIC COMPOUNDS	0 g/l
VISCOSITY	Approx 3500 mPa's @ 74° F (23.3° C)
FLASH POINT [METHOD]	> 450 ° F (232.2° C) [UNKNOWN]
FLAMMABLE LIMITS	LEL: Not applicable                      UEL: Not applicable

### SECTION 10 – STABILITY AND REACTIVITY

STABILITY	Stable
MATERIALS TO AVOID	Strong oxidizers, water, amines
CONDITIONS TO AVOID	Extreme temperatures, open flames
HAZARDOUS DECOMPOSITION PRODUCTS	Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon and nitrogen, HCN, HDI, hydrocarbons, fumes, and smoke may be produced.
HAZARDOUS POLYMERIZATION	May occur. Contact with moisture may cause polymerization

### SECTION 11 – TOXICOLOGICAL INFORMATION

Component	LD50 Oral (rat)	LD50 Dermal (rabbit)	LC50 Inhalation (rat)
Homopolymer of hexamethylene diisocyanate	> 10,000 mg / kg	Not available	137 - 1150 mg/m3 / 4H
Hexamethylene diisocyanate (monomer)	710 mg / kg	Not available	275 mg / m3

### SECTION 12 – EXOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

### SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local, State, Provincial, and Federal Regulations. This product may produce concentrated hazardous vapors or fumes in a disposal container creating a dangerous environment. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway.

### SECTION 14 – TRANSPORT INFORMATION

US DOT	Not regulated
Proper Shipping Name:	
UN Number:	
Packing Group:	
Special Instructions:	
IATA	Not regulated

Proper Shipping Name:

UN Number:

Packing Group:

Special Instructions:

IMDG

Not regulated

Proper Shipping Name:

UN Number:

Packing Group:

Special Instructions:

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

### SECTION 15 – REGULATORY INFORMATION

#### US – FEDERAL AND STATE

##### TSCA (Toxic substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

##### SARA TITLE III (Superfund Amendments and Reauthorization Act)

##### 311/312 Hazard Categories

Acute health

##### 313 Reportable Ingredients:

Hexamethylene diisocyanate

##### CERCLA (Comprehensive Response Compensation and Liability Act)

Hexamethylene diisocyanate – RQ – 100 lbs (45 kg)

Spill equivalence of 24,000 lbs of this product.

##### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

#### CANADA

##### CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B



##### DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

### SECTION 16 – OTHER INFORMATION

HMIS HAZARD RATINGS	
Health	2*
Flammability	1
Physical hazard	0
Personal Protection	B

#### HMIS SYSTEM

0 = Insignificant hazard      3 = High  
 1 = Slight                      4 = Extreme  
 2 = Moderate                  \* = Chronic health hazard  
 B=Safety Glasses, Gloves

PREPARATION INFORMATION:

Effective date: May 9, 2011

Replaces: Original

MSDS Changes: Not applicable

For information about this MSDS, contact Regulatory Affairs: (903) 454-8981

To the best of our knowledge, the information contained herein is accurate. However, NeverStrip Corporation, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.